

ความสัมพันธ์ระหว่างระดับน้ำ - เนื้อที่รูปตัด

สถานี N.59 อ.นครไทย จ.พิษณุโลก

ปี 2566

| ระดับน้ำ | ระดับน้ำ | เนื้อที่รูปตัด | ระดับน้ำ | ระดับน้ำ | เนื้อที่รูปตัด | ระดับน้ำ | ระดับน้ำ | เนื้อที่รูปตัด | ระดับน้ำ | ระดับน้ำ | เนื้อที่รูปตัด |
|----------|----------|----------------|----------|----------|----------------|----------|----------|----------------|----------|----------|----------------|
| ม.(รทก.) | ม.(รสม.) | ตร.ม. | ม.(รทก.) | ม.(รสม.) | ตร.ม. | ม.(รทก.) | ม.(รสม.) | ตร.ม. | ม.(รทก.) | ม.(รสม.) | ตร.ม. |
| | | | 200.30 | 2.62 | 1.30 | 200.80 | 3.12 | 3.80 | 201.30 | 3.62 | 7.20 |
| | | | 200.31 | 2.63 | 1.35 | 200.81 | 3.13 | 3.86 | 201.31 | 3.63 | 7.27 |
| | | | 200.32 | 2.64 | 1.39 | 200.82 | 3.14 | 3.91 | 201.32 | 3.64 | 7.34 |
| | | | 200.33 | 2.65 | 1.44 | 200.83 | 3.15 | 3.97 | 201.33 | 3.65 | 7.41 |
| | | | 200.34 | 2.66 | 1.48 | 200.84 | 3.16 | 4.02 | 201.34 | 3.66 | 7.48 |
| | | | 200.35 | 2.67 | 1.53 | 200.85 | 3.17 | 4.08 | 201.35 | 3.67 | 7.55 |
| | | | 200.36 | 2.68 | 1.57 | 200.86 | 3.18 | 4.13 | 201.36 | 3.68 | 7.62 |
| | | | 200.37 | 2.69 | 1.62 | 200.87 | 3.19 | 4.19 | 201.37 | 3.69 | 7.69 |
| | | | 200.38 | 2.70 | 1.66 | 200.88 | 3.20 | 4.24 | 201.38 | 3.70 | 7.76 |
| 199.89 | 2.21 | 0.00 | 200.39 | 2.71 | 1.71 | 200.89 | 3.21 | 4.30 | 201.39 | 3.71 | 7.83 |
| 199.90 | 2.22 | 0.20 | 200.40 | 2.72 | 1.75 | 200.90 | 3.22 | 4.35 | 201.40 | 3.72 | 7.90 |
| 199.91 | 2.23 | 0.22 | 200.41 | 2.73 | 1.80 | 200.91 | 3.23 | 4.40 | 201.41 | 3.73 | 7.99 |
| 199.92 | 2.24 | 0.24 | 200.42 | 2.74 | 1.84 | 200.92 | 3.24 | 4.46 | 201.42 | 3.74 | 8.08 |
| 199.93 | 2.25 | 0.26 | 200.43 | 2.75 | 1.89 | 200.93 | 3.25 | 4.51 | 201.43 | 3.75 | 8.17 |
| 199.94 | 2.26 | 0.28 | 200.44 | 2.76 | 1.93 | 200.94 | 3.26 | 4.57 | 201.44 | 3.76 | 8.26 |
| 199.95 | 2.27 | 0.30 | 200.45 | 2.77 | 1.98 | 200.95 | 3.27 | 4.62 | 201.45 | 3.77 | 8.35 |
| 199.96 | 2.28 | 0.32 | 200.46 | 2.78 | 2.02 | 200.96 | 3.28 | 4.68 | 201.46 | 3.78 | 8.44 |
| 199.97 | 2.29 | 0.34 | 200.47 | 2.79 | 2.07 | 200.97 | 3.29 | 4.73 | 201.47 | 3.79 | 8.53 |
| 199.98 | 2.30 | 0.36 | 200.48 | 2.80 | 2.11 | 200.98 | 3.30 | 4.79 | 201.48 | 3.80 | 8.62 |
| 199.99 | 2.31 | 0.38 | 200.49 | 2.81 | 2.16 | 200.99 | 3.31 | 4.84 | 201.49 | 3.81 | 8.71 |
| 200.00 | 2.32 | 0.40 | 200.50 | 2.82 | 2.20 | 201.00 | 3.32 | 4.90 | 201.50 | 3.82 | 8.80 |
| 200.01 | 2.33 | 0.43 | 200.51 | 2.83 | 2.25 | 201.01 | 3.33 | 4.98 | 201.51 | 3.83 | 8.88 |
| 200.02 | 2.34 | 0.46 | 200.52 | 2.84 | 2.30 | 201.02 | 3.34 | 5.05 | 201.52 | 3.84 | 8.96 |
| 200.03 | 2.35 | 0.49 | 200.53 | 2.85 | 2.35 | 201.03 | 3.35 | 5.13 | 201.53 | 3.85 | 9.04 |
| 200.04 | 2.36 | 0.52 | 200.54 | 2.86 | 2.40 | 201.04 | 3.36 | 5.21 | 201.54 | 3.86 | 9.12 |
| 200.05 | 2.37 | 0.55 | 200.55 | 2.87 | 2.45 | 201.05 | 3.37 | 5.28 | 201.55 | 3.87 | 9.20 |
| 200.06 | 2.38 | 0.58 | 200.56 | 2.88 | 2.50 | 201.06 | 3.38 | 5.36 | 201.56 | 3.88 | 9.28 |
| 200.07 | 2.39 | 0.61 | 200.57 | 2.89 | 2.55 | 201.07 | 3.39 | 5.44 | 201.57 | 3.89 | 9.36 |
| 200.08 | 2.40 | 0.64 | 200.58 | 2.90 | 2.60 | 201.08 | 3.40 | 5.52 | 201.58 | 3.90 | 9.44 |
| 200.09 | 2.41 | 0.67 | 200.59 | 2.91 | 2.65 | 201.09 | 3.41 | 5.59 | 201.59 | 3.91 | 9.52 |
| 200.10 | 2.42 | 0.70 | 200.60 | 2.92 | 2.70 | 201.10 | 3.42 | 5.67 | 201.60 | 3.92 | 9.60 |
| 200.11 | 2.43 | 0.73 | 200.61 | 2.93 | 2.75 | 201.11 | 3.43 | 5.75 | 201.61 | 3.93 | 9.70 |
| 200.12 | 2.44 | 0.76 | 200.62 | 2.94 | 2.80 | 201.12 | 3.44 | 5.82 | 201.62 | 3.94 | 9.81 |
| 200.13 | 2.45 | 0.79 | 200.63 | 2.95 | 2.85 | 201.13 | 3.45 | 5.90 | 201.63 | 3.95 | 9.91 |
| 200.14 | 2.46 | 0.82 | 200.64 | 2.96 | 2.90 | 201.14 | 3.46 | 5.98 | 201.64 | 3.96 | 10.01 |
| 200.15 | 2.47 | 0.85 | 200.65 | 2.97 | 2.95 | 201.15 | 3.47 | 6.05 | 201.65 | 3.97 | 10.12 |
| 200.16 | 2.48 | 0.88 | 200.66 | 2.98 | 3.00 | 201.16 | 3.48 | 6.13 | 201.66 | 3.98 | 10.22 |
| 200.17 | 2.49 | 0.91 | 200.67 | 2.99 | 3.05 | 201.17 | 3.49 | 6.21 | 201.67 | 3.99 | 10.32 |
| 200.18 | 2.50 | 0.94 | 200.68 | 3.00 | 3.10 | 201.18 | 3.50 | 6.29 | 201.68 | 4.00 | 10.42 |
| 200.19 | 2.51 | 0.97 | 200.69 | 3.01 | 3.15 | 201.19 | 3.51 | 6.36 | 201.69 | 4.01 | 10.53 |
| 200.20 | 2.52 | 1.00 | 200.70 | 3.02 | 3.20 | 201.20 | 3.52 | 6.44 | 201.70 | 4.02 | 10.63 |
| 200.21 | 2.53 | 1.03 | 200.71 | 3.03 | 3.26 | 201.21 | 3.53 | 6.52 | 201.71 | 4.03 | 10.73 |
| 200.22 | 2.54 | 1.06 | 200.72 | 3.04 | 3.32 | 201.22 | 3.54 | 6.59 | 201.72 | 4.04 | 10.84 |
| 200.23 | 2.55 | 1.09 | 200.73 | 3.05 | 3.38 | 201.23 | 3.55 | 6.67 | 201.73 | 4.05 | 10.94 |
| 200.24 | 2.56 | 1.12 | 200.74 | 3.06 | 3.44 | 201.24 | 3.56 | 6.74 | 201.74 | 4.06 | 11.04 |
| 200.25 | 2.57 | 1.15 | 200.75 | 3.07 | 3.50 | 201.25 | 3.57 | 6.82 | 201.75 | 4.07 | 11.15 |
| 200.26 | 2.58 | 1.18 | 200.76 | 3.08 | 3.56 | 201.26 | 3.58 | 6.90 | 201.76 | 4.08 | 11.25 |
| 200.27 | 2.59 | 1.21 | 200.77 | 3.09 | 3.62 | 201.27 | 3.59 | 6.97 | 201.77 | 4.09 | 11.35 |
| 200.28 | 2.60 | 1.24 | 200.78 | 3.10 | 3.68 | 201.28 | 3.60 | 7.05 | 201.78 | 4.10 | 11.45 |
| 200.29 | 2.61 | 1.27 | 200.79 | 3.11 | 3.74 | 201.29 | 3.61 | 7.12 | 201.79 | 4.11 | 11.56 |

ความสัมพันธ์ระหว่างระดับน้ำ - เนื้อที่รูปตัด

สถานี N.59 อ.นครไทย จ.พิษณุโลก

ปี 2566

| ระดับน้ำ | ระดับน้ำ | เนื้อที่รูปตัด | ระดับน้ำ | ระดับน้ำ | เนื้อที่รูปตัด | ระดับน้ำ | ระดับน้ำ | เนื้อที่รูปตัด | ระดับน้ำ | ระดับน้ำ | เนื้อที่รูปตัด |
|----------|----------|----------------|----------|----------|----------------|----------|----------|----------------|----------|----------|----------------|
| ม.(รทก.) | ม.(รสม.) | ตร.ม. | ม.(รทก.) | ม.(รสม.) | ตร.ม. | ม.(รทก.) | ม.(รสม.) | ตร.ม. | ม.(รทก.) | ม.(รสม.) | ตร.ม. |
| 201.80 | 4.12 | 11.66 | 202.30 | 4.62 | 17.30 | 202.80 | 5.12 | 23.80 | 203.30 | 5.62 | 31.55 |
| 201.81 | 4.13 | 11.76 | 202.31 | 4.63 | 17.42 | 202.81 | 5.13 | 23.94 | 203.31 | 5.63 | 31.74 |
| 201.82 | 4.14 | 11.87 | 202.32 | 4.64 | 17.54 | 202.82 | 5.14 | 24.08 | 203.32 | 5.64 | 31.92 |
| 201.83 | 4.15 | 11.97 | 202.33 | 4.65 | 17.66 | 202.83 | 5.15 | 24.22 | 203.33 | 5.65 | 32.11 |
| 201.84 | 4.16 | 12.07 | 202.34 | 4.66 | 17.78 | 202.84 | 5.16 | 24.36 | 203.34 | 5.66 | 32.29 |
| 201.85 | 4.17 | 12.18 | 202.35 | 4.67 | 17.90 | 202.85 | 5.17 | 24.50 | 203.35 | 5.67 | 32.48 |
| 201.86 | 4.18 | 12.28 | 202.36 | 4.68 | 18.02 | 202.86 | 5.18 | 24.64 | 203.36 | 5.68 | 32.66 |
| 201.87 | 4.19 | 12.38 | 202.37 | 4.69 | 18.14 | 202.87 | 5.19 | 24.78 | 203.37 | 5.69 | 32.85 |
| 201.88 | 4.20 | 12.48 | 202.38 | 4.70 | 18.26 | 202.88 | 5.20 | 24.92 | 203.38 | 5.70 | 33.03 |
| 201.89 | 4.21 | 12.59 | 202.39 | 4.71 | 18.38 | 202.89 | 5.21 | 25.06 | 203.39 | 5.71 | 33.22 |
| 201.90 | 4.22 | 12.69 | 202.40 | 4.72 | 18.50 | 202.90 | 5.22 | 25.20 | 203.40 | 5.72 | 33.40 |
| 201.91 | 4.23 | 12.79 | 202.41 | 4.73 | 18.62 | 202.91 | 5.23 | 25.35 | 203.41 | 5.73 | 33.59 |
| 201.92 | 4.24 | 12.89 | 202.42 | 4.74 | 18.74 | 202.92 | 5.24 | 25.50 | 203.42 | 5.74 | 33.78 |
| 201.93 | 4.25 | 12.99 | 202.43 | 4.75 | 18.86 | 202.93 | 5.25 | 25.65 | 203.43 | 5.75 | 33.97 |
| 201.94 | 4.26 | 13.09 | 202.44 | 4.76 | 18.98 | 202.94 | 5.26 | 25.80 | 203.44 | 5.76 | 34.16 |
| 201.95 | 4.27 | 13.20 | 202.45 | 4.77 | 19.10 | 202.95 | 5.27 | 25.95 | 203.45 | 5.77 | 34.35 |
| 201.96 | 4.28 | 13.30 | 202.46 | 4.78 | 19.22 | 202.96 | 5.28 | 26.10 | 203.46 | 5.78 | 34.54 |
| 201.97 | 4.29 | 13.40 | 202.47 | 4.79 | 19.34 | 202.97 | 5.29 | 26.25 | 203.47 | 5.79 | 34.73 |
| 201.98 | 4.30 | 13.50 | 202.48 | 4.80 | 19.46 | 202.98 | 5.30 | 26.40 | 203.48 | 5.80 | 34.92 |
| 201.99 | 4.31 | 13.60 | 202.49 | 4.81 | 19.58 | 202.99 | 5.31 | 26.55 | 203.49 | 5.81 | 35.11 |
| 202.00 | 4.32 | 13.70 | 202.50 | 4.82 | 19.70 | 203.00 | 5.32 | 26.70 | 203.50 | 5.82 | 35.30 |
| 202.01 | 4.33 | 13.82 | 202.51 | 4.83 | 19.84 | 203.01 | 5.33 | 26.86 | 203.51 | 5.83 | 35.50 |
| 202.02 | 4.34 | 13.94 | 202.52 | 4.84 | 19.97 | 203.02 | 5.34 | 27.01 | 203.52 | 5.84 | 35.70 |
| 202.03 | 4.35 | 14.06 | 202.53 | 4.85 | 20.11 | 203.03 | 5.35 | 27.17 | 203.53 | 5.85 | 35.90 |
| 202.04 | 4.36 | 14.18 | 202.54 | 4.86 | 20.24 | 203.04 | 5.36 | 27.32 | 203.54 | 5.86 | 36.10 |
| 202.05 | 4.37 | 14.30 | 202.55 | 4.87 | 20.38 | 203.05 | 5.37 | 27.48 | 203.55 | 5.87 | 36.30 |
| 202.06 | 4.38 | 14.42 | 202.56 | 4.88 | 20.51 | 203.06 | 5.38 | 27.63 | 203.56 | 5.88 | 36.50 |
| 202.07 | 4.39 | 14.54 | 202.57 | 4.89 | 20.65 | 203.07 | 5.39 | 27.79 | 203.57 | 5.89 | 36.70 |
| 202.08 | 4.40 | 14.66 | 202.58 | 4.90 | 20.78 | 203.08 | 5.40 | 27.94 | 203.58 | 5.90 | 36.90 |
| 202.09 | 4.41 | 14.78 | 202.59 | 4.91 | 20.92 | 203.09 | 5.41 | 28.10 | 203.59 | 5.91 | 37.10 |
| 202.10 | 4.42 | 14.90 | 202.60 | 4.92 | 21.05 | 203.10 | 5.42 | 28.25 | 203.60 | 5.92 | 37.30 |
| 202.11 | 4.43 | 15.02 | 202.61 | 4.93 | 21.19 | 203.11 | 5.43 | 28.42 | 203.61 | 5.93 | 37.52 |
| 202.12 | 4.44 | 15.14 | 202.62 | 4.94 | 21.32 | 203.12 | 5.44 | 28.58 | 203.62 | 5.94 | 37.74 |
| 202.13 | 4.45 | 15.26 | 202.63 | 4.95 | 21.46 | 203.13 | 5.45 | 28.75 | 203.63 | 5.95 | 37.96 |
| 202.14 | 4.46 | 15.38 | 202.64 | 4.96 | 21.59 | 203.14 | 5.46 | 28.91 | 203.64 | 5.96 | 38.18 |
| 202.15 | 4.47 | 15.50 | 202.65 | 4.97 | 21.73 | 203.15 | 5.47 | 29.08 | 203.65 | 5.97 | 38.40 |
| 202.16 | 4.48 | 15.62 | 202.66 | 4.98 | 21.86 | 203.16 | 5.48 | 29.24 | 203.66 | 5.98 | 38.62 |
| 202.17 | 4.49 | 15.74 | 202.67 | 4.99 | 22.00 | 203.17 | 5.49 | 29.41 | 203.67 | 5.99 | 38.84 |
| 202.18 | 4.50 | 15.86 | 202.68 | 5.00 | 22.13 | 203.18 | 5.50 | 29.57 | 203.68 | 6.00 | 39.06 |
| 202.19 | 4.51 | 15.98 | 202.69 | 5.01 | 22.27 | 203.19 | 5.51 | 29.74 | 203.69 | 6.01 | 39.28 |
| 202.20 | 4.52 | 16.10 | 202.70 | 5.02 | 22.40 | 203.20 | 5.52 | 29.90 | 203.70 | 6.02 | 39.50 |
| 202.21 | 4.53 | 16.22 | 202.71 | 5.03 | 22.54 | 203.21 | 5.53 | 30.07 | 203.71 | 6.03 | 39.72 |
| 202.22 | 4.54 | 16.34 | 202.72 | 5.04 | 22.68 | 203.22 | 5.54 | 30.23 | 203.72 | 6.04 | 39.94 |
| 202.23 | 4.55 | 16.46 | 202.73 | 5.05 | 22.82 | 203.23 | 5.55 | 30.40 | 203.73 | 6.05 | 40.16 |
| 202.24 | 4.56 | 16.58 | 202.74 | 5.06 | 22.96 | 203.24 | 5.56 | 30.56 | 203.74 | 6.06 | 40.38 |
| 202.25 | 4.57 | 16.70 | 202.75 | 5.07 | 23.10 | 203.25 | 5.57 | 30.73 | 203.75 | 6.07 | 40.60 |
| 202.26 | 4.58 | 16.82 | 202.76 | 5.08 | 23.24 | 203.26 | 5.58 | 30.89 | 203.76 | 6.08 | 40.82 |
| 202.27 | 4.59 | 16.94 | 202.77 | 5.09 | 23.38 | 203.27 | 5.59 | 31.06 | 203.77 | 6.09 | 41.04 |
| 202.28 | 4.60 | 17.06 | 202.78 | 5.10 | 23.52 | 203.28 | 5.60 | 31.22 | 203.78 | 6.10 | 41.26 |
| 202.29 | 4.61 | 17.18 | 202.79 | 5.11 | 23.66 | 203.29 | 5.61 | 31.39 | 203.79 | 6.11 | 41.48 |

ความสัมพันธ์ระหว่างระดับน้ำ - เนื้อที่รูปตัด

สถานี N.59 อ.นครไทย จ.พิษณุโลก

ปี 2566

| ระดับน้ำ | ระดับน้ำ | เนื้อที่รูปตัด | ระดับน้ำ | ระดับน้ำ | เนื้อที่รูปตัด | ระดับน้ำ | ระดับน้ำ | เนื้อที่รูปตัด | ระดับน้ำ | ระดับน้ำ | เนื้อที่รูปตัด |
|----------|----------|----------------|----------|----------|----------------|----------|----------|----------------|----------|----------|----------------|
| ม.(รทก.) | ม.(รสม.) | ตร.ม. | ม.(รทก.) | ม.(รสม.) | ตร.ม. | ม.(รทก.) | ม.(รสม.) | ตร.ม. | ม.(รทก.) | ม.(รสม.) | ตร.ม. |
| 203.80 | 6.12 | 41.70 | 204.30 | 6.62 | 55.40 | 204.80 | 7.12 | 72.00 | 205.30 | 7.62 | 92.80 |
| 203.81 | 6.13 | 41.95 | 204.31 | 6.63 | 55.73 | 204.81 | 7.13 | 72.36 | 205.31 | 7.63 | 93.30 |
| 203.82 | 6.14 | 42.20 | 204.32 | 6.64 | 56.05 | 204.82 | 7.14 | 72.72 | 205.32 | 7.64 | 93.80 |
| 203.83 | 6.15 | 42.45 | 204.33 | 6.65 | 56.38 | 204.83 | 7.15 | 73.08 | 205.33 | 7.65 | 94.30 |
| 203.84 | 6.16 | 42.70 | 204.34 | 6.66 | 56.70 | 204.84 | 7.16 | 73.44 | 205.34 | 7.66 | 94.80 |
| 203.85 | 6.17 | 42.95 | 204.35 | 6.67 | 57.03 | 204.85 | 7.17 | 73.80 | 205.35 | 7.67 | 95.30 |
| 203.86 | 6.18 | 43.20 | 204.36 | 6.68 | 57.35 | 204.86 | 7.18 | 74.16 | 205.36 | 7.68 | 95.80 |
| 203.87 | 6.19 | 43.45 | 204.37 | 6.69 | 57.68 | 204.87 | 7.19 | 74.52 | 205.37 | 7.69 | 96.30 |
| 203.88 | 6.20 | 43.70 | 204.38 | 6.70 | 58.00 | 204.88 | 7.20 | 74.88 | 205.38 | 7.70 | 96.80 |
| 203.89 | 6.21 | 43.95 | 204.39 | 6.71 | 58.33 | 204.89 | 7.21 | 75.24 | 205.39 | 7.71 | 97.30 |
| 203.90 | 6.22 | 44.20 | 204.40 | 6.72 | 58.65 | 204.90 | 7.22 | 75.60 | 205.40 | 7.72 | 97.80 |
| 203.91 | 6.23 | 44.46 | 204.41 | 6.73 | 58.98 | 204.91 | 7.23 | 76.01 | 205.41 | 7.73 | 98.30 |
| 203.92 | 6.24 | 44.72 | 204.42 | 6.74 | 59.30 | 204.92 | 7.24 | 76.42 | 205.42 | 7.74 | 98.80 |
| 203.93 | 6.25 | 44.98 | 204.43 | 6.75 | 59.63 | 204.93 | 7.25 | 76.83 | 205.43 | 7.75 | 99.30 |
| 203.94 | 6.26 | 45.24 | 204.44 | 6.76 | 59.95 | 204.94 | 7.26 | 77.24 | 205.44 | 7.76 | 99.80 |
| 203.95 | 6.27 | 45.50 | 204.45 | 6.77 | 60.28 | 204.95 | 7.27 | 77.65 | 205.45 | 7.77 | 100.30 |
| 203.96 | 6.28 | 45.76 | 204.46 | 6.78 | 60.60 | 204.96 | 7.28 | 78.06 | 205.46 | 7.78 | 100.80 |
| 203.97 | 6.29 | 46.02 | 204.47 | 6.79 | 60.93 | 204.97 | 7.29 | 78.47 | 205.47 | 7.79 | 101.30 |
| 203.98 | 6.30 | 46.28 | 204.48 | 6.80 | 61.25 | 204.98 | 7.30 | 78.88 | 205.48 | 7.80 | 101.80 |
| 203.99 | 6.31 | 46.54 | 204.49 | 6.81 | 61.58 | 204.99 | 7.31 | 79.29 | 205.49 | 7.81 | 102.30 |
| 204.00 | 6.32 | 46.80 | 204.50 | 6.82 | 61.90 | 205.00 | 7.32 | 79.70 | 205.50 | 7.82 | 102.80 |
| 204.01 | 6.33 | 47.08 | 204.51 | 6.83 | 62.23 | 205.01 | 7.33 | 80.11 | 205.51 | 7.83 | 103.35 |
| 204.02 | 6.34 | 47.36 | 204.52 | 6.84 | 62.55 | 205.02 | 7.34 | 80.52 | 205.52 | 7.84 | 103.89 |
| 204.03 | 6.35 | 47.64 | 204.53 | 6.85 | 62.88 | 205.03 | 7.35 | 80.93 | 205.53 | 7.85 | 104.44 |
| 204.04 | 6.36 | 47.92 | 204.54 | 6.86 | 63.20 | 205.04 | 7.36 | 81.34 | 205.54 | 7.86 | 104.98 |
| 204.05 | 6.37 | 48.20 | 204.55 | 6.87 | 63.53 | 205.05 | 7.37 | 81.75 | 205.55 | 7.87 | 105.53 |
| 204.06 | 6.38 | 48.48 | 204.56 | 6.88 | 63.85 | 205.06 | 7.38 | 82.16 | 205.56 | 7.88 | 106.07 |
| 204.07 | 6.39 | 48.76 | 204.57 | 6.89 | 64.18 | 205.07 | 7.39 | 82.57 | 205.57 | 7.89 | 106.62 |
| 204.08 | 6.40 | 49.04 | 204.58 | 6.90 | 64.50 | 205.08 | 7.40 | 82.98 | 205.58 | 7.90 | 107.16 |
| 204.09 | 6.41 | 49.32 | 204.59 | 6.91 | 64.83 | 205.09 | 7.41 | 83.39 | 205.59 | 7.91 | 107.71 |
| 204.10 | 6.42 | 49.60 | 204.60 | 6.92 | 65.15 | 205.10 | 7.42 | 83.80 | 205.60 | 7.92 | 108.25 |
| 204.11 | 6.43 | 49.88 | 204.61 | 6.93 | 65.48 | 205.11 | 7.43 | 84.25 | 205.61 | 7.93 | 108.80 |
| 204.12 | 6.44 | 50.16 | 204.62 | 6.94 | 65.80 | 205.12 | 7.44 | 84.70 | 205.62 | 7.94 | 109.34 |
| 204.13 | 6.45 | 50.44 | 204.63 | 6.95 | 66.13 | 205.13 | 7.45 | 85.15 | 205.63 | 7.95 | 109.89 |
| 204.14 | 6.46 | 50.72 | 204.64 | 6.96 | 66.45 | 205.14 | 7.46 | 85.60 | 205.64 | 7.96 | 110.43 |
| 204.15 | 6.47 | 51.00 | 204.65 | 6.97 | 66.78 | 205.15 | 7.47 | 86.05 | 205.65 | 7.97 | 110.98 |
| 204.16 | 6.48 | 51.28 | 204.66 | 6.98 | 67.10 | 205.16 | 7.48 | 86.50 | 205.66 | 7.98 | 111.52 |
| 204.17 | 6.49 | 51.56 | 204.67 | 6.99 | 67.43 | 205.17 | 7.49 | 86.95 | 205.67 | 7.99 | 112.07 |
| 204.18 | 6.50 | 51.84 | 204.68 | 7.00 | 67.75 | 205.18 | 7.50 | 87.40 | 205.68 | 8.00 | 112.61 |
| 204.19 | 6.51 | 52.12 | 204.69 | 7.01 | 68.08 | 205.19 | 7.51 | 87.85 | 205.69 | 8.01 | 113.16 |
| 204.20 | 6.52 | 52.40 | 204.70 | 7.02 | 68.40 | 205.20 | 7.52 | 88.30 | 205.70 | 8.02 | 113.70 |
| 204.21 | 6.53 | 52.70 | 204.71 | 7.03 | 68.76 | 205.21 | 7.53 | 88.75 | 205.71 | 8.03 | 114.30 |
| 204.22 | 6.54 | 53.00 | 204.72 | 7.04 | 69.12 | 205.22 | 7.54 | 89.20 | 205.72 | 8.04 | 114.89 |
| 204.23 | 6.55 | 53.30 | 204.73 | 7.05 | 69.48 | 205.23 | 7.55 | 89.65 | 205.73 | 8.05 | 115.49 |
| 204.24 | 6.56 | 53.60 | 204.74 | 7.06 | 69.84 | 205.24 | 7.56 | 90.10 | 205.74 | 8.06 | 116.08 |
| 204.25 | 6.57 | 53.90 | 204.75 | 7.07 | 70.20 | 205.25 | 7.57 | 90.55 | 205.75 | 8.07 | 116.68 |
| 204.26 | 6.58 | 54.20 | 204.76 | 7.08 | 70.56 | 205.26 | 7.58 | 91.00 | 205.76 | 8.08 | 117.27 |
| 204.27 | 6.59 | 54.50 | 204.77 | 7.09 | 70.92 | 205.27 | 7.59 | 91.45 | 205.77 | 8.09 | 117.87 |
| 204.28 | 6.60 | 54.80 | 204.78 | 7.10 | 71.28 | 205.28 | 7.60 | 91.90 | 205.78 | 8.10 | 118.46 |
| 204.29 | 6.61 | 55.10 | 204.79 | 7.11 | 71.64 | 205.29 | 7.61 | 92.35 | 205.79 | 8.11 | 119.06 |

