

ความสัมพันธ์ระหว่างระดับน้ำ - ความเร็วเฉลี่ย
 สถานี Y.15 แม่น้ำยม อ.กงไกรลาศ จ.สุโขทัย

ปี 2566

| ระดับน้ำ ม.(รทก.) | ระดับน้ำ ม.(รสม.) | ความเร็วเฉลี่ย ม/วินาที |
|----------------------|----------------------|----------------------------|----------------------|----------------------|----------------------------|----------------------|----------------------|----------------------------|----------------------|----------------------|----------------------------|
| 38.50 | 3.18 | 0.000 | 39.00 | 3.68 | 0.095 | 39.50 | 4.18 | 0.170 | 40.00 | 4.68 | 0.231 |
| 38.51 | 3.19 | 0.002 | 39.01 | 3.69 | 0.097 | 39.51 | 4.19 | 0.172 | 40.01 | 4.69 | 0.232 |
| 38.52 | 3.20 | 0.004 | 39.02 | 3.70 | 0.098 | 39.52 | 4.20 | 0.173 | 40.02 | 4.70 | 0.234 |
| 38.53 | 3.21 | 0.006 | 39.03 | 3.71 | 0.100 | 39.53 | 4.21 | 0.175 | 40.03 | 4.71 | 0.235 |
| 38.54 | 3.22 | 0.008 | 39.04 | 3.72 | 0.101 | 39.54 | 4.22 | 0.176 | 40.04 | 4.72 | 0.236 |
| 38.55 | 3.23 | 0.011 | 39.05 | 3.73 | 0.103 | 39.55 | 4.23 | 0.177 | 40.05 | 4.73 | 0.237 |
| 38.56 | 3.24 | 0.013 | 39.06 | 3.74 | 0.105 | 39.56 | 4.24 | 0.179 | 40.06 | 4.74 | 0.238 |
| 38.57 | 3.25 | 0.015 | 39.07 | 3.75 | 0.106 | 39.57 | 4.25 | 0.180 | 40.07 | 4.75 | 0.239 |
| 38.58 | 3.26 | 0.017 | 39.08 | 3.76 | 0.108 | 39.58 | 4.26 | 0.181 | 40.08 | 4.76 | 0.240 |
| 38.59 | 3.27 | 0.019 | 39.09 | 3.77 | 0.109 | 39.59 | 4.27 | 0.183 | 40.09 | 4.77 | 0.241 |
| 38.60 | 3.28 | 0.021 | 39.10 | 3.78 | 0.111 | 39.60 | 4.28 | 0.184 | 40.10 | 4.78 | 0.242 |
| 38.61 | 3.29 | 0.023 | 39.11 | 3.79 | 0.112 | 39.61 | 4.29 | 0.185 | 40.11 | 4.79 | 0.244 |
| 38.62 | 3.30 | 0.025 | 39.12 | 3.80 | 0.114 | 39.62 | 4.30 | 0.186 | 40.12 | 4.80 | 0.245 |
| 38.63 | 3.31 | 0.027 | 39.13 | 3.81 | 0.116 | 39.63 | 4.31 | 0.188 | 40.13 | 4.81 | 0.246 |
| 38.64 | 3.32 | 0.029 | 39.14 | 3.82 | 0.117 | 39.64 | 4.32 | 0.189 | 40.14 | 4.82 | 0.247 |
| 38.65 | 3.33 | 0.031 | 39.15 | 3.83 | 0.119 | 39.65 | 4.33 | 0.190 | 40.15 | 4.83 | 0.248 |
| 38.66 | 3.34 | 0.033 | 39.16 | 3.84 | 0.120 | 39.66 | 4.34 | 0.191 | 40.16 | 4.84 | 0.249 |
| 38.67 | 3.35 | 0.035 | 39.17 | 3.85 | 0.122 | 39.67 | 4.35 | 0.193 | 40.17 | 4.85 | 0.250 |
| 38.68 | 3.36 | 0.037 | 39.18 | 3.86 | 0.123 | 39.68 | 4.36 | 0.194 | 40.18 | 4.86 | 0.251 |
| 38.69 | 3.37 | 0.039 | 39.19 | 3.87 | 0.125 | 39.69 | 4.37 | 0.195 | 40.19 | 4.87 | 0.252 |
| 38.70 | 3.38 | 0.041 | 39.20 | 3.88 | 0.127 | 39.70 | 4.38 | 0.196 | 40.20 | 4.88 | 0.253 |
| 38.71 | 3.39 | 0.043 | 39.21 | 3.89 | 0.128 | 39.71 | 4.39 | 0.198 | 40.21 | 4.89 | 0.254 |
| 38.72 | 3.40 | 0.045 | 39.22 | 3.90 | 0.130 | 39.72 | 4.40 | 0.199 | 40.22 | 4.90 | 0.255 |
| 38.73 | 3.41 | 0.047 | 39.23 | 3.91 | 0.131 | 39.73 | 4.41 | 0.200 | 40.23 | 4.91 | 0.256 |
| 38.74 | 3.42 | 0.049 | 39.24 | 3.92 | 0.133 | 39.74 | 4.42 | 0.201 | 40.24 | 4.92 | 0.257 |
| 38.75 | 3.43 | 0.051 | 39.25 | 3.93 | 0.134 | 39.75 | 4.43 | 0.202 | 40.25 | 4.93 | 0.258 |
| 38.76 | 3.44 | 0.053 | 39.26 | 3.94 | 0.135 | 39.76 | 4.44 | 0.204 | 40.26 | 4.94 | 0.260 |
| 38.77 | 3.45 | 0.055 | 39.27 | 3.95 | 0.137 | 39.77 | 4.45 | 0.205 | 40.27 | 4.95 | 0.261 |
| 38.78 | 3.46 | 0.056 | 39.28 | 3.96 | 0.138 | 39.78 | 4.46 | 0.206 | 40.28 | 4.96 | 0.262 |
| 38.79 | 3.47 | 0.058 | 39.29 | 3.97 | 0.140 | 39.79 | 4.47 | 0.207 | 40.29 | 4.97 | 0.263 |
| 38.80 | 3.48 | 0.060 | 39.30 | 3.98 | 0.141 | 39.80 | 4.48 | 0.208 | 40.30 | 4.98 | 0.264 |
| 38.81 | 3.49 | 0.062 | 39.31 | 3.99 | 0.143 | 39.81 | 4.49 | 0.209 | 40.31 | 4.99 | 0.265 |
| 38.82 | 3.50 | 0.064 | 39.32 | 4.00 | 0.144 | 39.82 | 4.50 | 0.211 | 40.32 | 5.00 | 0.266 |
| 38.83 | 3.51 | 0.066 | 39.33 | 4.01 | 0.146 | 39.83 | 4.51 | 0.212 | 40.33 | 5.01 | 0.267 |
| 38.84 | 3.52 | 0.067 | 39.34 | 4.02 | 0.147 | 39.84 | 4.52 | 0.213 | 40.34 | 5.02 | 0.268 |
| 38.85 | 3.53 | 0.069 | 39.35 | 4.03 | 0.149 | 39.85 | 4.53 | 0.214 | 40.35 | 5.03 | 0.269 |
| 38.86 | 3.54 | 0.071 | 39.36 | 4.04 | 0.150 | 39.86 | 4.54 | 0.215 | 40.36 | 5.04 | 0.270 |
| 38.87 | 3.55 | 0.073 | 39.37 | 4.05 | 0.152 | 39.87 | 4.55 | 0.216 | 40.37 | 5.05 | 0.271 |
| 38.88 | 3.56 | 0.075 | 39.38 | 4.06 | 0.153 | 39.88 | 4.56 | 0.217 | 40.38 | 5.06 | 0.272 |
| 38.89 | 3.57 | 0.076 | 39.39 | 4.07 | 0.155 | 39.89 | 4.57 | 0.218 | 40.39 | 5.07 | 0.274 |
| 38.90 | 3.58 | 0.078 | 39.40 | 4.08 | 0.156 | 39.90 | 4.58 | 0.220 | 40.40 | 5.08 | 0.275 |
| 38.91 | 3.59 | 0.080 | 39.41 | 4.09 | 0.158 | 39.91 | 4.59 | 0.221 | 40.41 | 5.09 | 0.276 |
| 38.92 | 3.60 | 0.082 | 39.42 | 4.10 | 0.159 | 39.92 | 4.60 | 0.222 | 40.42 | 5.10 | 0.277 |
| 38.93 | 3.61 | 0.083 | 39.43 | 4.11 | 0.161 | 39.93 | 4.61 | 0.223 | 40.43 | 5.11 | 0.278 |
| 38.94 | 3.62 | 0.085 | 39.44 | 4.12 | 0.162 | 39.94 | 4.62 | 0.224 | 40.44 | 5.12 | 0.279 |
| 38.95 | 3.63 | 0.087 | 39.45 | 4.13 | 0.163 | 39.95 | 4.63 | 0.225 | 40.45 | 5.13 | 0.280 |
| 38.96 | 3.64 | 0.088 | 39.46 | 4.14 | 0.165 | 39.96 | 4.64 | 0.227 | 40.46 | 5.14 | 0.281 |
| 38.97 | 3.65 | 0.090 | 39.47 | 4.15 | 0.166 | 39.97 | 4.65 | 0.228 | 40.47 | 5.15 | 0.282 |
| 38.98 | 3.66 | 0.092 | 39.48 | 4.16 | 0.168 | 39.98 | 4.66 | 0.229 | 40.48 | 5.16 | 0.283 |
| 38.99 | 3.67 | 0.093 | 39.49 | 4.17 | 0.169 | 39.99 | 4.67 | 0.230 | 40.49 | 5.17 | 0.284 |

ความสัมพันธ์ระหว่างระดับน้ำ - ความเร็วเฉลี่ย
 สถานี Y.15 แม่น้ำยม อ.กงไกรลาศ จ.สุโขทัย

ปี 2566

| ระดับน้ำ ม.(รทก.) | ระดับน้ำ ม.(รสม.) | ความเร็วเฉลี่ย ม/วินาที |
|----------------------|----------------------|----------------------------|----------------------|----------------------|----------------------------|----------------------|----------------------|----------------------------|----------------------|----------------------|----------------------------|
| 40.50 | 5.18 | 0.285 | 41.00 | 5.68 | 0.332 | 41.50 | 6.18 | 0.377 | 42.00 | 6.68 | 0.417 |
| 40.51 | 5.19 | 0.286 | 41.01 | 5.69 | 0.333 | 41.51 | 6.19 | 0.377 | 42.01 | 6.69 | 0.417 |
| 40.52 | 5.20 | 0.287 | 41.02 | 5.70 | 0.334 | 41.52 | 6.20 | 0.378 | 42.02 | 6.70 | 0.418 |
| 40.53 | 5.21 | 0.288 | 41.03 | 5.71 | 0.335 | 41.53 | 6.21 | 0.379 | 42.03 | 6.71 | 0.419 |
| 40.54 | 5.22 | 0.289 | 41.04 | 5.72 | 0.336 | 41.54 | 6.22 | 0.380 | 42.04 | 6.72 | 0.420 |
| 40.55 | 5.23 | 0.290 | 41.05 | 5.73 | 0.337 | 41.55 | 6.23 | 0.381 | 42.05 | 6.73 | 0.421 |
| 40.56 | 5.24 | 0.291 | 41.06 | 5.74 | 0.338 | 41.56 | 6.24 | 0.381 | 42.06 | 6.74 | 0.422 |
| 40.57 | 5.25 | 0.292 | 41.07 | 5.75 | 0.338 | 41.57 | 6.25 | 0.382 | 42.07 | 6.75 | 0.423 |
| 40.58 | 5.26 | 0.293 | 41.08 | 5.76 | 0.339 | 41.58 | 6.26 | 0.383 | 42.08 | 6.76 | 0.423 |
| 40.59 | 5.27 | 0.294 | 41.09 | 5.77 | 0.340 | 41.59 | 6.27 | 0.384 | 42.09 | 6.77 | 0.424 |
| 40.60 | 5.28 | 0.295 | 41.10 | 5.78 | 0.341 | 41.60 | 6.28 | 0.385 | 42.10 | 6.78 | 0.425 |
| 40.61 | 5.29 | 0.296 | 41.11 | 5.79 | 0.342 | 41.61 | 6.29 | 0.385 | 42.11 | 6.79 | 0.426 |
| 40.62 | 5.30 | 0.297 | 41.12 | 5.80 | 0.343 | 41.62 | 6.30 | 0.386 | 42.12 | 6.80 | 0.427 |
| 40.63 | 5.31 | 0.298 | 41.13 | 5.81 | 0.344 | 41.63 | 6.31 | 0.387 | 42.13 | 6.81 | 0.428 |
| 40.64 | 5.32 | 0.299 | 41.14 | 5.82 | 0.345 | 41.64 | 6.32 | 0.388 | 42.14 | 6.82 | 0.428 |
| 40.65 | 5.33 | 0.300 | 41.15 | 5.83 | 0.346 | 41.65 | 6.33 | 0.389 | 42.15 | 6.83 | 0.429 |
| 40.66 | 5.34 | 0.301 | 41.16 | 5.84 | 0.347 | 41.66 | 6.34 | 0.389 | 42.16 | 6.84 | 0.430 |
| 40.67 | 5.35 | 0.302 | 41.17 | 5.85 | 0.348 | 41.67 | 6.35 | 0.390 | 42.17 | 6.85 | 0.431 |
| 40.68 | 5.36 | 0.303 | 41.18 | 5.86 | 0.349 | 41.68 | 6.36 | 0.391 | 42.18 | 6.86 | 0.432 |
| 40.69 | 5.37 | 0.304 | 41.19 | 5.87 | 0.350 | 41.69 | 6.37 | 0.392 | 42.19 | 6.87 | 0.432 |
| 40.70 | 5.38 | 0.304 | 41.20 | 5.88 | 0.350 | 41.70 | 6.38 | 0.392 | 42.20 | 6.88 | 0.433 |
| 40.71 | 5.39 | 0.305 | 41.21 | 5.89 | 0.351 | 41.71 | 6.39 | 0.393 | 42.21 | 6.89 | 0.434 |
| 40.72 | 5.40 | 0.306 | 41.22 | 5.90 | 0.352 | 41.72 | 6.40 | 0.394 | 42.22 | 6.90 | 0.435 |
| 40.73 | 5.41 | 0.307 | 41.23 | 5.91 | 0.353 | 41.73 | 6.41 | 0.395 | 42.23 | 6.91 | 0.436 |
| 40.74 | 5.42 | 0.308 | 41.24 | 5.92 | 0.354 | 41.74 | 6.42 | 0.396 | 42.24 | 6.92 | 0.436 |
| 40.75 | 5.43 | 0.309 | 41.25 | 5.93 | 0.355 | 41.75 | 6.43 | 0.396 | 42.25 | 6.93 | 0.437 |
| 40.76 | 5.44 | 0.310 | 41.26 | 5.94 | 0.356 | 41.76 | 6.44 | 0.397 | 42.26 | 6.94 | 0.438 |
| 40.77 | 5.45 | 0.311 | 41.27 | 5.95 | 0.357 | 41.77 | 6.45 | 0.398 | 42.27 | 6.95 | 0.439 |
| 40.78 | 5.46 | 0.312 | 41.28 | 5.96 | 0.358 | 41.78 | 6.46 | 0.399 | 42.28 | 6.96 | 0.440 |
| 40.79 | 5.47 | 0.312 | 41.29 | 5.97 | 0.358 | 41.79 | 6.47 | 0.399 | 42.29 | 6.97 | 0.440 |
| 40.80 | 5.48 | 0.313 | 41.30 | 5.98 | 0.359 | 41.80 | 6.48 | 0.400 | 42.30 | 6.98 | 0.441 |
| 40.81 | 5.49 | 0.314 | 41.31 | 5.99 | 0.360 | 41.81 | 6.49 | 0.401 | 42.31 | 6.99 | 0.442 |
| 40.82 | 5.50 | 0.315 | 41.32 | 6.00 | 0.361 | 41.82 | 6.50 | 0.402 | 42.32 | 7.00 | 0.443 |
| 40.83 | 5.51 | 0.316 | 41.33 | 6.01 | 0.362 | 41.83 | 6.51 | 0.403 | 42.33 | 7.01 | 0.444 |
| 40.84 | 5.52 | 0.317 | 41.34 | 6.02 | 0.363 | 41.84 | 6.52 | 0.403 | 42.34 | 7.02 | 0.444 |
| 40.85 | 5.53 | 0.318 | 41.35 | 6.03 | 0.364 | 41.85 | 6.53 | 0.404 | 42.35 | 7.03 | 0.445 |
| 40.86 | 5.54 | 0.318 | 41.36 | 6.04 | 0.365 | 41.86 | 6.54 | 0.405 | 42.36 | 7.04 | 0.446 |
| 40.87 | 5.55 | 0.319 | 41.37 | 6.05 | 0.365 | 41.87 | 6.55 | 0.406 | 42.37 | 7.05 | 0.447 |
| 40.88 | 5.56 | 0.320 | 41.38 | 6.06 | 0.366 | 41.88 | 6.56 | 0.406 | 42.38 | 7.06 | 0.447 |
| 40.89 | 5.57 | 0.321 | 41.39 | 6.07 | 0.367 | 41.89 | 6.57 | 0.407 | 42.39 | 7.07 | 0.448 |
| 40.90 | 5.58 | 0.322 | 41.40 | 6.08 | 0.368 | 41.90 | 6.58 | 0.408 | 42.40 | 7.08 | 0.449 |
| 40.91 | 5.59 | 0.323 | 41.41 | 6.09 | 0.369 | 41.91 | 6.59 | 0.409 | 42.41 | 7.09 | 0.450 |
| 40.92 | 5.60 | 0.324 | 41.42 | 6.10 | 0.370 | 41.92 | 6.60 | 0.410 | 42.42 | 7.10 | 0.451 |
| 40.93 | 5.61 | 0.325 | 41.43 | 6.11 | 0.371 | 41.93 | 6.61 | 0.410 | 42.43 | 7.11 | 0.451 |
| 40.94 | 5.62 | 0.326 | 41.44 | 6.12 | 0.371 | 41.94 | 6.62 | 0.411 | 42.44 | 7.12 | 0.452 |
| 40.95 | 5.63 | 0.327 | 41.45 | 6.13 | 0.372 | 41.95 | 6.63 | 0.412 | 42.45 | 7.13 | 0.453 |
| 40.96 | 5.64 | 0.328 | 41.46 | 6.14 | 0.373 | 41.96 | 6.64 | 0.413 | 42.46 | 7.14 | 0.454 |
| 40.97 | 5.65 | 0.329 | 41.47 | 6.15 | 0.374 | 41.97 | 6.65 | 0.414 | 42.47 | 7.15 | 0.454 |
| 40.98 | 5.66 | 0.330 | 41.48 | 6.16 | 0.375 | 41.98 | 6.66 | 0.415 | 42.48 | 7.16 | 0.455 |
| 40.99 | 5.67 | 0.331 | 41.49 | 6.17 | 0.376 | 41.99 | 6.67 | 0.416 | 42.49 | 7.17 | 0.456 |

ความสัมพันธ์ระหว่างระดับน้ำ - ความเร็วเฉลี่ย
 สถานี Y.15 แม่น้ำยม อ.กงไกรลาศ จ.สุโขทัย

ปี 2566

| ระดับน้ำ ม.(รทก.) | ระดับน้ำ ม.(รสม.) | ความเร็วเฉลี่ย ม/วินาที |
|----------------------|----------------------|----------------------------|----------------------|----------------------|----------------------------|----------------------|----------------------|----------------------------|----------------------|----------------------|----------------------------|
| 42.50 | 7.18 | 0.457 | 43.00 | 7.68 | 0.495 | 43.50 | 8.18 | 0.531 | 44.00 | 8.68 | 0.563 |
| 42.51 | 7.19 | 0.458 | 43.01 | 7.69 | 0.496 | 43.51 | 8.19 | 0.531 | 44.01 | 8.69 | 0.563 |
| 42.52 | 7.20 | 0.458 | 43.02 | 7.70 | 0.497 | 43.52 | 8.20 | 0.532 | 44.02 | 8.70 | 0.564 |
| 42.53 | 7.21 | 0.459 | 43.03 | 7.71 | 0.498 | 43.53 | 8.21 | 0.533 | 44.03 | 8.71 | 0.565 |
| 42.54 | 7.22 | 0.460 | 43.04 | 7.72 | 0.498 | 43.54 | 8.22 | 0.533 | 44.04 | 8.72 | 0.565 |
| 42.55 | 7.23 | 0.461 | 43.05 | 7.73 | 0.499 | 43.55 | 8.23 | 0.534 | 44.05 | 8.73 | 0.566 |
| 42.56 | 7.24 | 0.462 | 43.06 | 7.74 | 0.500 | 43.56 | 8.24 | 0.535 | 44.06 | 8.74 | 0.566 |
| 42.57 | 7.25 | 0.462 | 43.07 | 7.75 | 0.500 | 43.57 | 8.25 | 0.535 | 44.07 | 8.75 | 0.567 |
| 42.58 | 7.26 | 0.463 | 43.08 | 7.76 | 0.501 | 43.58 | 8.26 | 0.536 | 44.08 | 8.76 | 0.568 |
| 42.59 | 7.27 | 0.464 | 43.09 | 7.77 | 0.502 | 43.59 | 8.27 | 0.537 | 44.09 | 8.77 | 0.568 |
| 42.60 | 7.28 | 0.465 | 43.10 | 7.78 | 0.503 | 43.60 | 8.28 | 0.537 | 44.10 | 8.78 | 0.569 |
| 42.61 | 7.29 | 0.466 | 43.11 | 7.79 | 0.503 | 43.61 | 8.29 | 0.538 | | | |
| 42.62 | 7.30 | 0.467 | 43.12 | 7.80 | 0.504 | 43.62 | 8.30 | 0.539 | | | |
| 42.63 | 7.31 | 0.467 | 43.13 | 7.81 | 0.505 | 43.63 | 8.31 | 0.539 | | | |
| 42.64 | 7.32 | 0.468 | 43.14 | 7.82 | 0.505 | 43.64 | 8.32 | 0.540 | | | |
| 42.65 | 7.33 | 0.469 | 43.15 | 7.83 | 0.506 | 43.65 | 8.33 | 0.541 | | | |
| 42.66 | 7.34 | 0.470 | 43.16 | 7.84 | 0.507 | 43.66 | 8.34 | 0.541 | | | |
| 42.67 | 7.35 | 0.471 | 43.17 | 7.85 | 0.508 | 43.67 | 8.35 | 0.542 | | | |
| 42.68 | 7.36 | 0.471 | 43.18 | 7.86 | 0.508 | 43.68 | 8.36 | 0.543 | | | |
| 42.69 | 7.37 | 0.472 | 43.19 | 7.87 | 0.509 | 43.69 | 8.37 | 0.543 | | | |
| 42.70 | 7.38 | 0.473 | 43.20 | 7.88 | 0.510 | 43.70 | 8.38 | 0.544 | | | |
| 42.71 | 7.39 | 0.474 | 43.21 | 7.89 | 0.510 | 43.71 | 8.39 | 0.545 | | | |
| 42.72 | 7.40 | 0.474 | 43.22 | 7.90 | 0.511 | 43.72 | 8.40 | 0.545 | | | |
| 42.73 | 7.41 | 0.475 | 43.23 | 7.91 | 0.512 | 43.73 | 8.41 | 0.546 | | | |
| 42.74 | 7.42 | 0.476 | 43.24 | 7.92 | 0.512 | 43.74 | 8.42 | 0.547 | | | |
| 42.75 | 7.43 | 0.477 | 43.25 | 7.93 | 0.513 | 43.75 | 8.43 | 0.547 | | | |
| 42.76 | 7.44 | 0.478 | 43.26 | 7.94 | 0.514 | 43.76 | 8.44 | 0.548 | | | |
| 42.77 | 7.45 | 0.478 | 43.27 | 7.95 | 0.514 | 43.77 | 8.45 | 0.549 | | | |
| 42.78 | 7.46 | 0.479 | 43.28 | 7.96 | 0.515 | 43.78 | 8.46 | 0.549 | | | |
| 42.79 | 7.47 | 0.480 | 43.29 | 7.97 | 0.516 | 43.79 | 8.47 | 0.550 | | | |
| 42.80 | 7.48 | 0.481 | 43.30 | 7.98 | 0.517 | 43.80 | 8.48 | 0.551 | | | |
| 42.81 | 7.49 | 0.481 | 43.31 | 7.99 | 0.517 | 43.81 | 8.49 | 0.551 | | | |
| 42.82 | 7.50 | 0.482 | 43.32 | 8.00 | 0.518 | 43.82 | 8.50 | 0.552 | | | |
| 42.83 | 7.51 | 0.483 | 43.33 | 8.01 | 0.519 | 43.83 | 8.51 | 0.552 | | | |
| 42.84 | 7.52 | 0.484 | 43.34 | 8.02 | 0.519 | 43.84 | 8.52 | 0.553 | | | |
| 42.85 | 7.53 | 0.484 | 43.35 | 8.03 | 0.520 | 43.85 | 8.53 | 0.554 | | | |
| 42.86 | 7.54 | 0.485 | 43.36 | 8.04 | 0.521 | 43.86 | 8.54 | 0.554 | | | |
| 42.87 | 7.55 | 0.486 | 43.37 | 8.05 | 0.522 | 43.87 | 8.55 | 0.555 | | | |
| 42.88 | 7.56 | 0.487 | 43.38 | 8.06 | 0.522 | 43.88 | 8.56 | 0.556 | | | |
| 42.89 | 7.57 | 0.487 | 43.39 | 8.07 | 0.523 | 43.89 | 8.57 | 0.556 | | | |
| 42.90 | 7.58 | 0.488 | 43.40 | 8.08 | 0.524 | 43.90 | 8.58 | 0.557 | | | |
| 42.91 | 7.59 | 0.489 | 43.41 | 8.09 | 0.524 | 43.91 | 8.59 | 0.557 | | | |
| 42.92 | 7.60 | 0.490 | 43.42 | 8.10 | 0.525 | 43.92 | 8.60 | 0.558 | | | |
| 42.93 | 7.61 | 0.490 | 43.43 | 8.11 | 0.526 | 43.93 | 8.61 | 0.559 | | | |
| 42.94 | 7.62 | 0.491 | 43.44 | 8.12 | 0.526 | 43.94 | 8.62 | 0.559 | | | |
| 42.95 | 7.63 | 0.492 | 43.45 | 8.13 | 0.527 | 43.95 | 8.63 | 0.560 | | | |
| 42.96 | 7.64 | 0.492 | 43.46 | 8.14 | 0.528 | 43.96 | 8.64 | 0.560 | | | |
| 42.97 | 7.65 | 0.493 | 43.47 | 8.15 | 0.529 | 43.97 | 8.65 | 0.561 | | | |
| 42.98 | 7.66 | 0.494 | 43.48 | 8.16 | 0.529 | 43.98 | 8.66 | 0.562 | | | |
| 42.99 | 7.67 | 0.495 | 43.49 | 8.17 | 0.530 | 43.99 | 8.67 | 0.562 | | | |